

Common sense

Local galaxies in massive cluster are Red

because local clusters are
the most evolved system in the Universe

A young galaxy cluster in the old universe

Tetsuya Hashimoto

(National Tsing Hua University)

Tomotsugu Goto (NTHU); Rieko Momose (Univ. of Tokyo);
Chien-Chang Ho (NTHU); Ryu Makiya (Kavli IPMU); Chia-
ying Chiang; Seong Jin Kim (NTHU)

Hashimoto et al. 2019c, Monthly Notices of the
Royal Astronomical Society, Volume 489, Issue 2,
p.2014-2029

Subaru 20th anniversary 19 Nov.

Outline

1. Introduction

2. Sample

Sloan Digital Sky Survey Data Release 7 (SDSS DR 7)


3. Results

Discovery of a blue cluster (SDSS–C4 3028)
and its physical properties

4. Discussion


5. Conclusion

Introduction: Galaxy populations Blue/Red



Introduction:

Galaxy population in local cluster=Red




Blue fraction
~ 0.2 in
local massive
clusters

Abell1689 at $z=0.183$ (c)NASA

Introduction:


Some "blue clusters" in previous studies

Observation



e.g., Campusano+2018

Model prediction




e.g., Makiya+2016

Sample: Sloan Digital Sky Survey


What we did → Only dense/massive clusters

Observation




Hashimoto+2019

Model prediction




e.g., Makiya+2016

Results: a blue cluster (4σ outlier of f_B)




Example: galaxies in a typical cluster

(halo mass and redshift are same as the blue cluster)




Results: member galaxies of the blue cluster



Results: models do not explain the blue cluster

The criteria/analysis
of the SDSS sample


→ applied to semi-analytic models




Results: Filamentary structure

=Cold gas accretion (so called 'cold streams')?

Filament by Temple+2014



However 'virial shocks' prevent cold streams



Cold streams survive

if $t_{\text{cool}} < t_{\text{comp}}$

Cold stream

Shock

Mystery

Cold streams already disappeared in simulated local Universes

Conclusion

1. We discovered a blue cluster ($f_B=0.57 > 4\sigma$) hosted by a massive dark matter halo at $z=0.061$ from SDSS DR7.
2. No reasonable explanation for the high blue fraction.
3. The blue cluster challenges the current standard frameworks of the galaxy formation and evolution in the Λ CDM Universe.

Backup slides


No clear indication of substructure

Dressler-Shectman test


$\Delta/N_{\text{member}} < 1 \quad \rightarrow \quad \text{No substructure}$

Δ/N_{member} of the blue cluster is 0.89

Sample: Sloan Digital Sky Survey Data Release 7



Results: a **blue cluster** (4σ outlier of f_B)



Results: the blue cluster (4σ outlier of f_B)

Physical properties


-Redshift = 0.061

- $f_B = 0.57$ (4σ outlier)

-Velocity dispersion
 $V_\sigma = 510 (km / s)$


-Dark matter halo mass

$$M_{\text{halo}} = (2.0^{+2.0}_{-1.4}) \times 10^{14} (M_{\text{sun}})$$




Results: models do not explain the blue cluster


The same criteria/analysis $\rightarrow$ semi-analytic models




Results: Long filaments (=cold streams?)




Results: $\text{SFR}/M_{\text{halo}}$ is high (=cold streams?)



However 'virial shocks' prevent cold streams



Blue cluster(=cold streams)



Cold streams survive

if $t_{\text{cool}} < t_{\text{comp}}$

Cold stream

Shock

Mystery


Cold streams
already
disappeared in
simulated local
Universes

Conclusion

1. We discovered a blue cluster ($f_B=0.57$) hosted by a massive dark matter halo at $z=0.061$ from SDSS DR7.
1. The blue fraction is $> 4\sigma$ beyond the other SDSS clusters and theoretical predictions.
2. Cold streams could be responsible for the blue fraction. However the cold streams have already disappeared in the simulated local Universes.
3. The blue cluster challenges the current standard frameworks of the galaxy formation and evolution in the Λ CDM Universe.

Method: Friends of Friends (for density $> 8\sigma$)

Friends = $\pm 0.75\text{Mpc}$ and $\pm 1000\text{km/s}$



Multi-wavelength data of the blue cluster

Blue cluster
($z=0.061$) $(2.0^{+2.0}_{-1.4}) \times 10^{14} (M_{\text{sun}})$

-Planck SZ effect counter part $\rightarrow$ No.

Planck SZ effect completeness

$\sim 20\%$ for $M_{\text{halo}} \sim 10^{14} M_{\text{sun}}$ at $z=0.05$

(Planck collaboration 2016)

-ROSAT X-ray counterpart $\rightarrow$ Yes(?)

$\rightarrow \log L_x = 42.8 \text{ erg/s}$ with $\text{SN}=1.27$ (Wang+2014).

M_{halo} -X-ray luminosity scaling relation predicts

$\log L_x = 43.1 \text{ erg/s}$

No clear indication of substructure

Dressler-Shectman test

$\Delta/N_{\text{member}} < 1 \quad \rightarrow \quad \text{No substructure}$

Δ/N_{member} of the blue cluster is 0.89